9/29/25. 2:29 PM Printed on 9/29/2025



# Gastroenterology Consultants EGD PREPARATION

## **Delayed Gastric Emptying**

Procedure Date:	Check-in Time:	AM/PM	
	Procedure Time:	AM/PM	
Procedure Location:			
Reno Endoscopy Center  880 Ryland St.  Reno NV 89502  (775) 329-4600	10619 Professio Reno NV 89	South Meadows Endoscopy Center 10619 Professional Circle Reno NV 89512 (775) 852-4848	

#### **IMPORTANT:**

Please read the following instructions carefully at least <u>one (1) week</u> prior to your procedure.

- DO NOT EAT ANY FOODS THE DAY BEFORE OR THE DAY OF YOUR PROCEDURE.
  - > Start a "Clear Liquid Diet" the day before your procedure.
  - "Clear Liquid Diet" includes water, black coffee, unsweetened tea, Jell-O, Gatorade, clear sodas, clear fruit juices (no pulp), bouillon, and broths.
  - ➤ DO NOT have milk, creamer, alcohol, smoothies, protein shakes, chewing tobacco, ZYN, cigarettes, cough drops, gum, mints or candies the day of your procedure.
  - Failure to follow procedure diet instructions may result in cancellation.
- Follow a "Clear Liquid Diet: the day of your procedure.
  - STOP CLEAR LIQUIDS SIX (6) HOURS PRIOR TO YOUR PROCEDURE.
  - Exception, you may have water ONLY up to four (4) hours prior to your procedure.
- Take your usual morning medications (high blood pressure medication, etc.) at least four (4) hours before the procedure with a small sip of water.
- Arrange transportation home after procedure. Proper transportation will be verified at check-in.
  - If you choose to take a taxi or Uber, you MUST be accompanied by a responsible adult.

#### Refer to page 2

Version 11-2023 1 of 2

9/29/25, 2:29 PM Printed on 9/29/2025



## **Gastroenterology Consultants**

### **SPECIAL CONSIDERATIONS:**

Please contact our office immediately if you have any of the following medical conditions and have not discussed them with us:

- You take ANY medications that prevent your blood from clotting.
  - ▶ I.E. Coumadin (Warfarin, Jantoven), Plavix, Pradaxa, Effient, Xarelto (Rivaroxaban)
- History of excessive bleeding during previous surgery or dental extraction.
- You are undergoing medical evaluation for chest pain or shortness of breath.
- Weight Loss Medications GLP1(Glucagon-Like Peptide-1): Trulicity, Bydureon, Byetta, Saxenda, Victoza, Adlyzin, Ozempic, Wegovy, Rybelsus
  - ➤ If GLP1 dose is daily, **DO NOT** take on day of procedure.
  - ➤ If GLP1 dose is weekly, **DO NOT** if procedure is within 7 days.
- Phentermine should NOT be taken for 7 days prior to the procedure.

#### **GENERAL INFORMATION:**

Bring all completed forms from your procedure packet.
Bring in your insurance cards and a photo ID, such as a driver's license so that
we may assist you in billing for our services.
> All co-pays, co-insurances, and deductibles are due at the time of service.
Please be prepared to pay these fees on the day of your procedure.
YOU WILL NEED A RESPONSIBLE DRIVER TO TAKE YOU HOME. Due to procedural sedation given, you cannot drive for the remainder of the day.
All rides must be at our office no later than 3:30 pm.
Leave all jewelry and personal valuables at home.
Bring any reading glasses and/or hearing aids to your procedure.
Bring your inhalers if you use them.
Contact Information: If you are coming from out of town or staying in a place
other than your main residence, please call our office and leave a number where
you will be staying in case, we need to contact you.

If you have any questions regarding your procedure or these instructions, please contact our office during regular business hours at (775) 329-4600 or (775) 852-4848.

Further patient education and resources are available at www.giconsultants.com

Version 11-2023 2 of 2